

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	484	((stor\$3 or sav\$3 or remember) with (password or pw or passcode or pin or personal identification number)) same ((chang\$3 or updat\$3 or new\$3) with (password or pw or passcode or pin or personal identification number) with (enter\$3 or input\$4) with (request\$3 or prompt\$3))	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/03/10 09:39
L3	277	((stor\$3 or sav\$3 or remember) with (password or pw or passcode or pin or personal identification number)) with ((chang\$3 or updat\$3 or new\$3) with (password or pw or passcode or pin or personal identification number) with (enter\$3 or input\$4) with (request\$3 or prompt\$3))	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/03/10 09:46
L4	4	((remember) near2 (password or pw or passcode or pin or personal identification number)) with ((chang\$3 or updat\$3 or new\$3) with (password or pw or passcode or pin or personal identification number) with (enter\$3 or input\$4) with (request\$3 or prompt\$3))	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/03/10 09:49

L5	4	((remember) with (password or pw or passcode or pin or personal identification number)) with ((chang\$3 or updat\$3 or new\$3) with (password or pw or passcode or pin or personal identification number) with (enter\$3 or input\$4) with (request\$3 or prompt\$3))	US-PGPUB; USPAT; FFRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/03/10 09:50
L6	10	((remember) with (password or pw or passcode or pin or personal identification number)) same ((chang\$3 or updat\$3 or new\$3) with (password or pw or passcode or pin or personal identification number) with (enter\$3 or input\$4) with (request\$3 or prompt\$3))	US-PGPUB; USPAT; FFRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/03/10 09:50
L7	12	((stor\$3 or sav\$3 or remember) with (password or pw or passcode or pin or personal identification number) with browser) same ((chang\$3 or updat\$3 or new\$3) with (password or pw or passcode or pin or personal identification number) with (enter\$3 or input\$4) with (request\$3 or prompt\$3))	US-PGPUB; USPAT; FFRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/03/10 09:52
L8	664	((stor\$3 or sav\$3 or remember) with (password or pw or passcode or pin or personal identification number) with browser)	US-PGPUB; USPAT; FFRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/03/10 09:54
L9	118	((stor\$3 or sav\$3 or remember) with (password or pw or passcode or pin or personal identification number) with browser with cookie)	US-PGPUB; USPAT; FFRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/03/10 09:54

L10	50	((stor\$3 or sav\$3 or remember) with (password or pw or passcode or pin or personal identification number) with browser with cookie) and ((chang\$3 or updat\$3 or new) with (password or pw or passcode or pin or personal identification number))	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/03/10 09:56
L11	25	((stor\$3 or sav\$3 or remember) with (password or pw or passcode or pin or personal identification number) with browser with cookie) and ((chang\$3 or updat\$3) with (password or pw or passcode or pin or personal identification number))	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/03/10 10:04
L12	74	((password or pw or passcode or pin or personal identification number) with browser with cookie) and ((chang\$3 or updat\$3) with (password or pw or passcode or pin or personal identification number))	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/03/10 10:04
L13	16	(invalid or incorrect or wrong) with cookie with (prompt\$3 or request\$3 or ask\$3) with (password or pw or passcode or pin or personal identification number)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/03/10 10:32
L14	357	(invalid or incorrect or wrong) with cookie	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/03/10 10:35
L15	105	(invalid or incorrect or wrong) with cookie with browser	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/03/10 10:36

L16	3	(invalid or incorrect or wrong) with cookie with browser and ((chang\$3 or updat\$3) with (password or pw or passcode or pin or personal identification number))	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/03/10 10:38
L17	12	(US-20040178881-\$ or US-20050075925-\$ or US-20040078216-\$ or US-20030018707-\$ or US-20010021915-\$ or US-20040158574-\$ or US-20020165971-\$).did. or (US-6366215-\$ or US-5901284-\$ or US-7350229-\$ or US-5963915-\$ or US-6047268-\$).did.	US-PGPUB; USPAT	ADJ	ON	2011/03/10 11:44
L19	0	"20020165971".pn. and table same password	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/03/10 11:45
L20	28	(invalid or incorrect or wrong) with cookie with (password or pw or passcode or pin or personal identification number)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/03/10 14:19
S1	2290	(stor\$3 or sav\$3) with (password or pw or passcode or pin or personal identification number) with (enter\$3 or input\$4) with (request\$3 or prompt\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/03/08 15:52
S2	1454	(stor\$3 or sav\$3) with (password or pw or passcode or pin or personal identification number) with (enter\$3 or input\$4) with user with (request\$3 or prompt\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/03/08 15:52
S3	502	(stor\$3 or sav\$3) near2 (password or pw or passcode or pin or personal identification number) with (enter\$3 or input\$4) with user with (request\$3 or prompt\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/03/08 15:53

S4	393	((stor\$3 or sav\$3) near2 (password or pw or passcode or pin or personal identification number)) with ((enter\$3 or input\$4) near2 (request\$3 or prompt\$3))	US-PGPUB; USPAT; FFRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/03/08 15:54
S5	70	((stor\$3 or sav\$3) near2 (password or pw or passcode or pin or personal identification number)) with ((enter\$3 or input\$4) near2 (request\$3 or prompt\$3)) and "726".clas.	US-PGPUB; USPAT; FFRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/03/08 15:54
S6	13	((stor\$3 or sav\$3) near2 (password or pw or passcode or pin or personal identification number)) with transmit\$3 with ((enter\$3 or input\$4) near2 (request\$3 or prompt\$3))	US-PGPUB; USPAT; FFRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/03/08 16:16
S7	1608	((stor\$3 or sav\$3) near2 (password or pw or passcode or pin or personal identification number)) with transmit\$3	US-PGPUB; USPAT; FFRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/03/08 16:18
S8	8	((stor\$3 or sav\$3) near2 (password or pw or passcode or pin or personal identification number)) with transmit\$3 same ("no match" or "do not match" or mismatch or "don't match" or "does not match")	US-PGPUB; USPAT; FFRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/03/08 16:19
S9	16	((stor\$3 or sav\$3) with (password or pw or passcode or pin or personal identification number)) with transmit\$3 same ("no match" or "do not match" or mismatch or "don't match" or "does not match")	US-PGPUB; USPAT; FFRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/03/08 16:24

S10	161	(password or pw or passcode or pin or personal identification number) with transmit\$3 same ("no match" or "do not match" or mismatch or "don't match" or "does not match")	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/03/08 16:34
S11	250	(override\$3 or alternate\$3 or alternative) with (password or pw or passcode or pin or personal identification number) with (enter\$3 or input\$4) with (request\$3 or prompt\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/03/09 10:04
S12	6	(override\$3 or alternate\$3 or alternative) with (password or pw or passcode or pin or personal identification number) with (enter\$3 or input\$4) with (request\$3 or prompt\$3) with (mismatch or fail\$3 or "no match")	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/03/09 10:05
S13	6	(override\$3 or alternate\$3 or alternative) with (password or pw or passcode or pin or personal identification number) with (enter\$3 or input\$4) with (request\$3 or prompt\$3) with (mismatch or fail\$3 or "no match" or incorrect or wrong)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/03/09 11:38
S14	743	(password or pw or passcode or pin or personal identification number) with (enter\$3 or input\$4) with (request\$3 or prompt\$3) with (mismatch or fail\$3 or "no match" or incorrect or wrong)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/03/09 11:38
S15	1	"20030048174".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/03/09 11:39
S16	4	("2003/0048174").URPN.	USPAT	ADJ	ON	2011/03/09 11:39

S17	12	(transmit\$3 or send\$3) with (override\$3 or alternate\$3 or alternative) with (password or pw or passcode or pin or personal identification number) with (enter\$3 or input\$4) with (request\$3 or prompt\$3)	US-PGPUB; USPAT; FFRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/03/09 11:42
S18	2613	(transmit\$3 or send\$3) with (password or pw or passcode or pin or personal identification number) with (enter\$3 or input\$4) with (request\$3 or prompt\$3)	US-PGPUB; USPAT; FFRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/03/09 11:46
S19	309	(transmit\$3 or send\$3) with (storage or stored or saved) with (password or pw or passcode or pin or personal identification number) with (enter\$3 or input\$4) with (request\$3 or prompt\$3)	US-PGPUB; USPAT; FFRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/03/09 11:46
S20	239	(transmit\$3 or send\$3) with (stored or saved) with (password or pw or passcode or pin or personal identification number) with (enter\$3 or input\$4) with (request\$3 or prompt\$3)	US-PGPUB; USPAT; FFRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/03/09 11:47
S21	5	(transmit\$3 or send\$3) with (stored or saved) with (password or pw or passcode or pin or personal identification number) with (enter\$3 or input\$4) with (request\$3 or prompt\$3) same (mismatch or incorrect or wrong)	US-PGPUB; USPAT; FFRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/03/09 11:47
S22	30	(transmit\$3 or send\$3) with (stored or saved) with (password or pw or passcode or pin or personal identification number) with (mismatch or incorrect or wrong)	US-PGPUB; USPAT; FFRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/03/09 11:48

S23	30	(transmit\$3 or send\$3) with (stored or saved) with (password or pw or passcode or pin or personal identification number) with (mismatch or incorrect or wrong or "do not match" or "don't match")	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/03/09 11:49
S24	33	(transmit\$3 or send\$3) with (stored or saved) with (password or pw or passcode or pin or personal identification number) with (mismatch or incorrect or wrong or "do not match" or "don't match" or "no match")	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2011/03/09 11:51

EAST Search History (I nterference)

< This search history is empty >

3/ 10/ 2011 3:31:09 PM**H:\ 10573898_Sasabe\ 10573898_ESearch_B.wsp**